



Test Report

No.T32020220243TY

Date: APR 02, 2020

Page 1 of 19

SAFARI LTD
5960 MIAMI LAKES DRIVE, MIAMI LAKES, FL 33016, USA

The following samples were submitted and identified by/on behalf of the client as:

Collection	Item #	Item Name
INCREDIBLE CREATURES	263429	Eastern Screech Owl
INCREDIBLE CREATURES	261729	Galapagos Sally Lightfoot Crab
INCREDIBLE CREATURES	263629	Goldfish
INCREDIBLE CREATURES	263229	Panda Baby
INCREDIBLE CREATURES	259629	Alligator With Babies
INCREDIBLE CREATURES	257629	Amazon Tree Boa
INCREDIBLE CREATURES	268729	American Bullfrog
INCREDIBLE CREATURES	262829	Armadillo
INCREDIBLE CREATURES	251029	Bald Eagle
INCREDIBLE CREATURES	263129	Bearded Dragon
INCREDIBLE CREATURES	269729	Blue Crab
INCREDIBLE CREATURES	261829	Clown Anemonefish
INCREDIBLE CREATURES	260329	Cobra
INCREDIBLE CREATURES	257429	Coral Snake
INCREDIBLE CREATURES	265829	Duckling
INCREDIBLE CREATURES	263029	Eastern Chipmunk
INCREDIBLE CREATURES	262129	Eastern Cottontail Rabbit Baby
INCREDIBLE CREATURES	269329	Eastern Diamondback Rattlesnake
INCREDIBLE CREATURES	263529	Flying Fish
INCREDIBLE CREATURES	250229	Flying Squirrel
INCREDIBLE CREATURES	100070	Frogfish
INCREDIBLE CREATURES	100118	Groundhog
INCREDIBLE CREATURES	267929	Hammerhead Shark Baby
INCREDIBLE CREATURES	261129	Hedgehog
INCREDIBLE CREATURES	267529	Hermit Crab
INCREDIBLE CREATURES	156605	Horned Lizard
INCREDIBLE CREATURES	267429	Kemps Ridley Sea Turtle Baby
INCREDIBLE CREATURES	265629	Largemouth Bass
INCREDIBLE CREATURES	261529	Moray Eel
INCREDIBLE CREATURES	265429	Piglet
INCREDIBLE CREATURES	269529	Red-Eared Slider Turtle
INCREDIBLE CREATURES	262629	Saltwater Crocodile
INCREDIBLE CREATURES	260429	Sea Turtle
INCREDIBLE CREATURES	268129	Sea Turtle Baby
INCREDIBLE CREATURES	258629	Tortoise
INCREDIBLE CREATURES	260729	Tortoise
INCREDIBLE CREATURES	260829	Tortoise Baby
INCREDIBLE CREATURES	267829	Veiled Chameleon
INCREDIBLE CREATURES	261029	Veiled Chameleon Baby

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.





Test Report

No.T32020220243TY

Date: APR 02, 2020

Page 2 of 19

Country of Origin : CHINA
Labeled Age Grading : 18M+
Requested Age Grading : NOT STATED
Age Group Assessed As Per Age Guideline : 18 MONTHS +
Sample Receiving Date : FEB 21, 2020
Last Information Receiving Date : APR 02, 2020
Testing Period : FEB 21, 2020 TO APR 02, 2020

Test Requested	Conclusion
ASTM F963-17 Standard Consumer Safety Specification for Toy Safety	PASS
For existence of tracking label per Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 tracking labels for children's products.	SEE RESULT ON PAGE 12-13
CPSIA section 101 - Total Lead content	--
CPSIA section 101(f) (1) – Lead in paint/similar surface coating material	PASS
CPSIA section 101(a) (2) – Lead in accessible substrate materials (Including Children's Metal Jewelry)	PASS
US 16 CFR Part 1307 – Phthalates	PASS
US California Proposition 65 – Lead Content	PASS
US California Proposition 65 – Phthalates Content	PASS

***** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *****

Signed for and on behalf of
SGS Hong Kong Ltd.

Cheng Yui Hei, Jeff
Technical Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

RESULT:

ASTM F963-17 STANDARD CONSUMER SAFETY SPECIFICATION FOR TOY SAFETY

AS SPECIFIED IN ASTM F963-17 STANDARD CONSUMER SAFETY SPECIFICATION ON TOYS SAFETY

Clauses relevant to the item:

<u>Clause</u>	<u>Description</u>	<u>Result</u>
4	Safety Requirements	
4.1	Material Quality **	Pass
4.2	Flammability Test	<u>Pass (See Detail of test result)</u>
4.3	Toxicology	
4.3.5	Heavy Elements	
	4.3.5.1 Heavy Elements in Paint/Similar Surface Coating Materials	<u>Pass (See Detail of test result)</u>
	4.3.5.2 Heavy Metal in Substrate Materials	<u>Pass (See Detail of test result)</u>
4.6.1	Small Objects	Pass
4.7	Accessible Edges	Pass
4.9	Accessible Points	Pass
4.10	Wires or Rods	Pass
4.12	Plastic Film	Pass
5	Safety Labeling Requirements	
5.2	Age Grading Labeling	Pass
7	Producer's Markings	
7.1	Producer's Markings	Pass
8.5	Normal Use Testing	Pass
8.7	Impact Test	Pass
8.8	Torque Test	Pass
8.9	Tension Test	Pass
8.12	Flexure Test	Pass

** Visual Examination

Detail of test result:

ASTM F963-17, Clause 4.2 – Flammability Test
Flammability Test on Solid

<u>Sample</u>	<u>Burning Rate (inch/sec)*</u>
Eastern Screech Owl, Galapagos Sally Lightfoot Crab, Goldfish, Panda Baby, Alligator With Babies, Amazon Tree Boa, American Bullfrog, Armadillo, Bald Eagle, Bearded Dragon, Blue Crab, Clown Anemonefish, Cobra, Coral Snake, Duckling, Eastern Chipmunk, Eastern Cottontail Rabbit Baby, Eastern Diamondback Rattlesnake, Flying Fish, Flying Squirrel, Frogfish, Groundhog, Hammerhead Shark Baby, Hedgehog, Hermit Crab, Horned Lizard, Kemp's Ridley Sea Turtle Baby, Largemouth Bass, Moray Eel, Piglet, Red-Eared Slider Turtle, Saltwater Crocodile, Sea Turtle, Sea Turtle Baby, Tortoise, Tortoise, Tortoise Baby, Veiled Chameleon, Veiled Chameleon Baby	Did Not Ignite

Requirement: A toy / component is considered a "flammable solid" if it ignites and burns with a self-sustaining flame at a rate greater than 0.1 in/sec along its major axis.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report

No.T32020220243TY

Date: APR 02, 2020

Page 4 of 19

ASTM F963-17, Clause 4.3.5.1 – Heavy Elements in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1

Method: With reference to ASTM F963-17 Clause 8.3

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

Total Lead Content

Test Item(s)	Lead (Pb)
MDL (ppm)	10
Total Limit (ppm)	90
Specimen Description	Result(s) (ppm)
1. Multi-color coating (A) + Multi-color coating (B) + Multi-color coating (C)	ND
2. Multi-color coating (D) + Multi-color coating (E) + Multi-color coating (F)	ND
3. Multi-color coating (G) + Multi-color coating (H) + Multi-color coating (I)	ND
4. Multi-color coating (J) + Multi-color coating (K) + Multi-color coating (L)	ND
5. Multi-color coating (M) + Multi-color coating (N) + Multi-color coating (O)	ND
6. Multi-color coating (P) + Multi-color coating (Q) + Multi-color coating (R)	ND
7. Multi-color coating (S) + Multi-color coating (T) + Multi-color coating (U)	ND
8. Multi-color coating (V) + Multi-color coating (W) + Multi-color coating (X)	ND
9. Multi-color coating (Y) + Multi-color coating (AA)	ND
10. Multi-color coating (AB) + Multi-color coating (AC) + Multi-color coating (AD)	ND
11. Multi-color coating (AE) + Multi-color coating (AG)	ND
12. Multi-color coating (AH) + Multi-color coating (AI) + Multi-color coating (AJ)	ND
13. Multi-color coating (AK) + Multi-color coating (AL) + Multi-color coating (AM)	ND
14. Multi-color coating (AN) + Multi-color coating (AO)	ND

Soluble Heavy Metal Content

Test Item(s)	Pb	Sb	As	Ba	Cd	Cr	Hg	Se	
MDL (ppm)	5	5	2.5	10	5	5	5	10	
Migration Limit (ppm)	90	60	25	1000	75	60	60	500	
Specimen No.	Mass of trace amount (mg)	Adjusted Migration Result(s) (ppm)							
1	29.8	ND	ND	ND	ND	ND	ND	ND	
2	62.8	ND	ND	ND	ND	ND	ND	ND	
3	78.1	ND	ND	ND	ND	ND	ND	ND	
4	47.9	ND	ND	ND	ND	ND	ND	ND	
5	80.4	ND	ND	ND	ND	ND	ND	ND	
6	36.4	ND	ND	ND	ND	ND	ND	ND	
7	30.5	ND	ND	ND	ND	ND	ND	ND	
8	38.3	ND	ND	ND	ND	ND	ND	ND	
9	73.8	ND	ND	ND	ND	ND	ND	ND	
10	35.2	ND	ND	ND	ND	ND	ND	ND	
11	41.9	ND	ND	ND	ND	ND	ND	ND	
12	53.0	ND	ND	ND	ND	ND	ND	ND	
13	37.5	ND	ND	ND	ND	ND	ND	ND	
14	64.0	ND	ND	ND	ND	ND	ND	ND	
15	35.0	ND	ND	ND	ND	ND	ND	ND	
16	65.0	ND	ND	ND	ND	ND	ND	ND	
17	34.4	ND	ND	ND	ND	ND	ND	ND	
18	51.0	ND	ND	ND	ND	ND	ND	ND	
19	77.6	ND	ND	ND	ND	ND	ND	ND	
20	82.6	ND	ND	ND	ND	ND	ND	ND	
21	53.0	ND	ND	ND	ND	ND	ND	ND	
22	74.3	ND	ND	ND	ND	ND	ND	ND	
23	59.8	ND	ND	ND	ND	ND	ND	ND	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report

No.T32020220243TY

Date: APR 02, 2020

Page 5 of 19

Test Item(s)	Pb	Sb	As	Ba	Cd	Cr	Hg	Se	
MDL (ppm)	5	5	2.5	10	5	5	5	10	
Migration Limit (ppm)	90	60	25	1000	75	60	60	500	
Specimen No.	Mass of trace amount (mg)	Adjusted Migration Result(s) (ppm)							
24	29.0	ND	ND	ND	ND	ND	ND	ND	
25	27.0	ND	ND	ND	ND	ND	ND	ND	
26	41.4	ND	ND	ND	ND	ND	ND	ND	
27	71.1	ND	ND	ND	ND	ND	ND	ND	
28	26.0	ND	ND	ND	ND	ND	ND	ND	
29	79.5	ND	ND	ND	ND	ND	ND	ND	
30	76.3	ND	ND	ND	ND	ND	ND	ND	
31	30.3	ND	ND	ND	ND	ND	ND	ND	
32	44.6	ND	ND	ND	ND	ND	ND	ND	
33	81.5	ND	ND	ND	ND	ND	ND	ND	
34	27.8	ND	ND	ND	ND	ND	ND	ND	
35	84.3	ND	ND	ND	ND	ND	ND	ND	
36	25.4	ND	ND	ND	ND	ND	ND	ND	
37	69.7	ND	ND	ND	ND	ND	ND	ND	
38	37.4	ND	ND	ND	ND	ND	ND	ND	
39	35.7	ND	ND	ND	ND	ND	ND	ND	
40	25.1	ND	ND	ND	ND	ND	ND	ND	
41	40.0	ND	ND	ND	ND	ND	ND	ND	
42	32.0	ND	ND	ND	ND	ND	ND	ND	
43	33.0	ND	ND	ND	ND	ND	ND	ND	
44	50.0	ND	ND	ND	ND	ND	ND	ND	
45	82.8	ND	ND	ND	ND	ND	ND	ND	
46	36.0	ND	ND	ND	ND	ND	ND	ND	
47	63.1	ND	ND	ND	ND	ND	ND	ND	
48	77.4	ND	ND	ND	ND	ND	ND	ND	
49	49.1	ND	ND	ND	ND	ND	ND	ND	
50	49.6	ND	ND	ND	ND	ND	ND	ND	
51	81.2	ND	ND	ND	ND	ND	ND	ND	
52	47.5	ND	ND	ND	ND	ND	ND	ND	
53	39.9	ND	ND	ND	ND	ND	ND	ND	
54	61.1	ND	ND	ND	ND	ND	ND	ND	
55	58.7	ND	ND	ND	ND	ND	ND	ND	
56	26.4	ND	ND	ND	ND	ND	ND	ND	
57	57.9	ND	ND	ND	ND	ND	ND	ND	
58	43.0	ND	ND	ND	ND	ND	ND	ND	
59	38.6	ND	ND	ND	ND	ND	ND	ND	
60	77.5	ND	ND	ND	ND	ND	ND	ND	
61	36.7	ND	ND	ND	ND	ND	ND	ND	
62	81.0	ND	ND	ND	ND	ND	ND	ND	
63	45.9	ND	ND	ND	ND	ND	ND	ND	
64	45.5	ND	ND	ND	ND	ND	ND	ND	
65	82.9	ND	ND	ND	ND	ND	ND	ND	
66	63.6	ND	ND	ND	ND	ND	ND	ND	
67	67.1	ND	ND	ND	ND	ND	ND	ND	
68	55.6	ND	ND	ND	ND	ND	ND	ND	
69	61.9	ND	ND	ND	ND	ND	ND	ND	
70	61.7	ND	ND	ND	ND	ND	ND	ND	
71	63.5	ND	ND	ND	ND	ND	ND	ND	
72	74.1	ND	ND	ND	ND	ND	ND	ND	
73	69.6	ND	ND	ND	ND	ND	ND	ND	
74	26.3	ND	ND	ND	ND	ND	ND	ND	

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Item(s)	Pb	Sb	As	Ba	Cd	Cr	Hg	Se
MDL (ppm)	5	5	2.5	10	5	5	5	10
Migration Limit (ppm)	90	60	25	1000	75	60	60	500
Specimen No.	Mass of trace amount (mg)	Adjusted Migration Result(s) (ppm)						
75	79.0	ND	ND	ND	ND	ND	ND	ND
76	50.0	ND	ND	ND	ND	ND	ND	ND
77	62.4	ND	ND	ND	ND	ND	ND	ND

Specimen Description:

1. Reddish brown coating (A)
2. Orange coating (B)
3. Lt. Blue coating (B)
4. Orange coating (C)
5. Pearl white coating (C)
6. Creamy white coating (D)
7. Black coating (D)
8. Pale yellow coating (E)
9. Black grey coating (E)
10. Bright brown soft plastic (F)
11. Creamy yellow coating (F)
12. Dull green soft plastic (G)
13. Lt. Green w/ yellow coating (G)
14. Yellowish green coating (G)
15. Creamy yellow coating (G)
16. Dull purple grey coating (H)
17. Creamy white coating (I)
18. Pink coating (J)
19. Blue w/ dull green coating (K)
20. Dull green coating (K)
21. Dk. Green w/ grey coating (K)
22. White coating (L)
23. Orange coating (L)
24. Black coating (M)
25. Lt. Brown coating (M)
26. Grey coating (M)
27. Grey pink coating (M)
28. Red coating (N)
29. Yellow coating (N)
30. Flesh coating (O)
31. Orange coating (O)
32. Yellow coating (O)
33. Reddish brown coating (P)
34. Lt. Brown coating (Q)
35. Lt. Pink coating (R)
36. Chocolate brown coating (R)
37. Deep brown coating (R)
38. Pale grey coating (S)
39. Silvery coating (S)
40. Blue coating (S)
41. Brown coating (T)
42. Reddish orange coating (U)
43. Deep grey coating (V)
44. Dull white coating (V)
45. Flesh coating (V)
46. Deep brown coating (V)
47. Brown coating (V)
48. White coating (W)
49. Brown coating (X)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Specimen Description:

50. White coating (X)
51. Pale pink coating (X)
52. Dull orange coating (Y)
53. Brown coating (AA)
54. White coating (AB)
55. Pearl white coating (AC)
56. Green coating (AC)
57. Dk. Green coating (AC)
58. Leaf green coating (AD)
59. Dull green coating (AG)
60. Black coating (AG)
61. Blackish green coating (AG)
62. Yellow coating (AG)
63. Deep green coating (AH)
64. Bright flesh coating (AH)
65. Reddish brown coating (AI)
66. Grey white coating (AJ)
67. Beige brown coating (AK)
68. Wood brown coating (AK)
69. Grey black coating (AM)
70. Pale brown coating (AM)
71. Pale yellow coating (AM)
72. Lt. Green coating (AN)
73. Pink coating (AN)
74. Dull flesh coating (AN)
75. Lt. Red coating (AN)
76. Muddy yellow coating (AN)
77. Dk. Brown coating (P)

- Note:
- ppm = parts per million
 - 1% = 10000 mg/kg = 10000 ppm = 10000 µg/g
 - MDL = Method Detection Limit
 - ND = Not Detected (lower than MDL)
 - Migration results of eight elements shown are of the adjusted analytical results
 - As received, test portion of below test parts is(are) less than 10 mg, therefore such component(s) was(were) not tested for certain migration elements, as specified in ASTM F963-17 Clause 8.3.3.6
- (2) – Selection of Test Portions
1. Pale brown coating (A)
 2. Creamy white coating (A)
 3. Grey green coating (A)
 4. Pale muddy yellow coating (A)
 5. Dk. Grey coating (A)
 6. White coating (A)
 7. Black coating (A)
 8. Red coating (B)
 9. Yellow coating (B)
 10. Pale purple pink coating (B)
 11. Purple coating (B)
 12. Dk. Purple coating (B)
 13. White grey coating (B)
 14. Yellowish orange coating (B)
 15. Creamy white coating (B)
 16. Golden coating (C)
 17. White coating (C)
 18. Black coating (C)
 19. Grey coating (C)
 20. Brown coating (D)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

21. Lt. Brown coating (D)
22. Grey coating (D)
23. Black coating (E)
24. White coating (E)
25. Pale orange coating (E)
26. Yellow green coating (E)
27. White grey coating (E)
28. Grey brown coating (E)
29. Muddy yellow coating (E)
30. Muddy yellow coating (F)
31. Black coating (F)
32. Coppery coating (F)
33. Dk. Grey coating (F)
34. Black coating (G)
35. Green coating (G)
36. Golden coppery coating (G)
37. Brown coating (G)
38. Reddish brown coating (G)
39. Black grey coating (G)
40. Bright grey coating (G)
41. Black grey coating (H)
42. Black coating (H)
43. Chocolate brown coating (I)
44. Brown coating (I)
45. Dk. Grey coating (I)
46. Black coating (I)
47. Yellow coating (I)
48. Pale orange coating (I)
49. Pale yellow coating (J)
50. Black coating (J)
51. Brown coating (J)
52. Dk. Grey coating (J)
53. Dull beige coating (K)
54. Grey coating (K)
55. Blue coating (K)
56. Black coating (K)
57. Brown coating (K)
58. Deep orange coating (L)
59. Grey coating (L)
60. Black coating (L)
61. White grey coating (M)
62. Creamy white coating (M)
63. Black coating (N)
64. White coating (N)
65. Grey coating (N)
66. Black coating (O)
67. White coating (O)
68. Grey coating (O)
69. Pink coating (P)
70. Dk. Grey coating (P)
71. Dull reddish orange coating (P)
72. Black coating (P)
73. White coating (P)
74. Greenish grey coating (P)
75. Pale brown coating (P)
76. Black coating (Q)
77. Deep brown coating (Q)
78. Creamy white coating (Q)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

79. Pink coating (Q)
80. White coating (Q)
81. Flesh pink coating (Q)
82. Dk. Grey coating (Q)
83. Chocolate brown coating (Q)
84. Lt. Brown coating (R)
85. Black coating (R)
86. Beige coating (R)
87. Dk. Grey coating (R)
88. Black coating (S)
89. Pale yellow coating (S)
90. Deep grey coating (S)
91. Grey coating (S)
92. White coating (T)
93. Black coating (T)
94. Pink coating (T)
95. Deep pink coating (T)
96. Grey brown coating (T)
97. Dk. Grey coating (T)
98. Dk. Grey coating (U)
99. Blackish grey coating (U)
100. Pale orange coating (U)
101. White coating (U)
102. Black coating (U)
103. Black coating (V)
104. White grey coating (V)
105. Bright red coating (W)
106. Black coating (W)
107. Dk. Grey coating (W)
108. Dk. Pink coating (X)
109. Pale yellow coating (X)
110. Black coating (X)
111. Purple brown coating (X)
112. Dk. Grey coating (X)
113. Smokey grey coating (X)
114. White coating (Y)
115. Black coating (Y)
116. Flesh pink coating (Y)
117. Dull beige coating (Y)
118. Dk. Grey coating (Y)
119. Pale grey coating (AA)
120. Dk. Grey coating (AA)
121. Black coating (AA)
122. Orange brown coating (AA)
123. Beige coating (AA)
124. Dk. Red coating (AB)
125. Black coating (AB)
126. Lt. Brown coating (AB)
127. Grey coating (AB)
128. Pale orange coating (AB)
129. Black coating (AC)
130. Pearl red coating (AC)
131. Yellow green coating (AC)
132. Lt. Orange coating (AC)
133. Dk. Grey coating (AC)
134. Cyan coating (AD)
135. Black coating (AD)
136. Flesh coating (AD)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

- 137. Pale coffee brown coating (AD)
- 138. Greenish grey coating (AD)
- 139. White grey coating (AD)
- 140. Black coating (AE)
- 141. Pink coating (AE)
- 142. Dk. Grey coating (AE)
- 143. Green coating (AG)
- 144. Lt. Green coating (AG)
- 145. Leaf green coating (AG)
- 146. Red coating (AG)
- 147. Orange yellow coating (AG)
- 148. Lt. Brown coating (AG)
- 149. Grey coating (AG)
- 150. White coating (AH)
- 151. Black coating (AH)
- 152. White grey coating (AH)
- 153. Black coating (AI)
- 154. Pale pink coating (AI)
- 155. Grey green coating (AI)
- 156. Creamy white coating (AI)
- 157. Pink coating (AI)
- 158. Grey coating (AI)
- 159. Grey coating (AJ)
- 160. Black coating (AJ)
- 161. White coating (AJ)
- 162. Lt. Blue coating (AJ)
- 163. Dk. Grey coating (AK)
- 164. Deep brown coating (AK)
- 165. Brown coating (AK)
- 166. Black coating (AK)
- 167. Pale yellow coating (AK)
- 168. Creamy white coating (AL)
- 169. Coffee brown coating (AL)
- 170. Black coating (AL)
- 171. Blackish grey coating (AL)
- 172. White grey coating (AL)
- 173. Dull beige coating (AL)
- 174. Coffee brown coating (AM)
- 175. Black coating (AM)
- 176. White grey coating (AM)
- 177. Dk. Blue coating (AN)
- 178. Lt. Blue coating (AN)
- 179. Blue coating (AN)
- 180. Lt. Brown coating (AN)
- 181. White coating (AN)
- 182. Black coating (AN)
- 183. White grey coating (AN)
- 184. Cyan coating (AN)
- 185. Yellow coating (AO)
- 186. Dk. Grey coating (AO)
- 187. Black coating (AO)
- 188. Brown coating (AN)
- 189. Orange coating (AO)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

ASTM F963-17, Clause 4.3.5.2 – Heavy Elements in Substrate Materials

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3

Method: With reference to ASTM F963-17 Clause 8.3

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

Total Lead Content

Test Item(s)	Lead (Pb)
MDL (ppm)	10
Total Limit (ppm)	100
Specimen Description	Result(s) (ppm)
1. Beige soft plastic (A) + Red soft plastic (B) + Pale orange soft plastic (C)	ND
2. Dull white soft plastic (D) + Dull grey soft plastic (E) + Bright brown soft plastic (F)	ND
3. Dull green soft plastic (G) + Greenish grey soft plastic (H) + Deep brown soft plastic (I)	ND
4. Dull yellow soft plastic (I) + Orange soft plastic (J) + Beige soft plastic (K)	ND
5. Creamy orange soft plastic (L) + Black grey soft plastic (M) + Black soft plastic (N)	ND
6. Pale yellow soft plastic (O) + Beige soft plastic (P) + Flesh soft plastic (Q)	ND
7. White soft plastic (R) + White soft plastic (S) + Transparent soft plastic (S)	ND
8. Beige soft plastic (T) + Pale red soft plastic (U) + Pale brown soft plastic (V)	ND
9. Grey brown soft plastic (W) + Dk. Brown soft plastic (X) + Beige soft plastic (Y)	ND
10. Yellowish beige soft plastic (AA) + Deep green soft plastic (AB) + White soft plastic (AC)	ND
11. Creamy yellow soft plastic (AD) + Lt. Pink soft plastic (AE)	ND
12. Creamy yellow soft plastic (AG) + Moss green soft plastic (AH) + Muddy yellow soft plastic (AI)	ND
13. Dull greyish blue soft plastic (AJ) + Black grey soft plastic (AK) + Grey brown soft plastic (AL)	ND
14. Reddish brown soft plastic (AM) + Green soft plastic (AN) + Leaf green soft plastic (AO)	ND

Soluble Heavy Metal Content

Test Item(s)	Pb	Sb	As	Ba	Cd	Cr	Hg	Se
MDL (ppm)	5	5	2.5	10	5	5	5	10
Migration Limit (ppm) -- Other Than Modeling Clays	90	60	25	1000	75	60	60	500
Migration Limit (ppm) -- Modeling Clays	90	60	25	250	50	25	25	500
Specimen No.	Mass of trace amount (mg)	Adjusted Migration Result(s) (ppm)						
1 – 39	/	ND	ND	ND	ND	ND	ND	ND

Specimen Description:

1. Beige soft plastic (A)
2. Red soft plastic (B)
3. Pale orange soft plastic (C)
4. Dull white soft plastic (D)
5. Dull grey soft plastic (E)
6. Greenish grey soft plastic (H)
7. Deep brown soft plastic (I)
8. Dull yellow soft plastic (I)
9. Orange soft plastic (J)
10. Beige soft plastic (K)
11. Creamy orange soft plastic (L)
12. Black grey soft plastic (M)
13. Black soft plastic (N)
14. Pale yellow soft plastic (O)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Specimen Description:

15. Beige soft plastic (P)
16. Flesh soft plastic (Q)
17. White soft plastic (R)
18. White soft plastic (S)
19. Transparent soft plastic (S)
20. Beige soft plastic (T)
21. Pale red soft plastic (U)
22. Pale brown soft plastic (V)
23. Grey brown soft plastic (W)
24. Dk. Brown soft plastic (X)
25. Beige soft plastic (Y)
26. Yellowish beige soft plastic (AA)
27. Deep green soft plastic (AB)
28. White soft plastic (AC)
29. Creamy yellow soft plastic (AD)
30. Lt. Pink soft plastic (AE)
31. Creamy yellow soft plastic (AG)
32. Moss green soft plastic (AH)
33. Muddy yellow soft plastic (AI)
34. Dull greyish blue soft plastic (AJ)
35. Black grey soft plastic (AK)
36. Grey brown soft plastic (AL)
37. Reddish brown soft plastic (AM)
38. Green soft plastic (AN)
39. Leaf green soft plastic (AO)

- Note:
- ppm = parts per million
 - 1% = 10000 mg/kg = 10000 ppm = 10000 µg/g
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit
 - Migration results of eight elements shown are of the adjusted analytical results

For existence of tracking label per Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 tracking labels for children's products

As specified in Consumer Product Safety Improvement Act (CPSIA) of 2008 section 103 tracking labels for children's products.

Tracking label found on the packaging:

- 1) Name: SAFARI LTD
- 2) Location: MADE IN CHINA
- 3) Date: 0414, 0116, 0716, 1116, 0417, 0617, 0118, 0418, 0518, 0918, 1018, 1118, 1218, 0119, 0319, 0419, 0519, 0619, 0719, 0919, 1019
- 4) Cohort information: ITEM NUMBER

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report

No.T32020220243TY

Date: APR 02, 2020

Page 13 of 19

- Tracking label found on the product:

- 1) Name: SAFARI LTD
- 2) Location: MADE IN CHINA
- 3) Date: 0414, 0116, 0716, 1116, 0417, 0617, 0118, 0418, 0518, 0918, 1018, 1118, 1218, 0119, 0319, 0419, 0519, 0619, 0719, 0919, 1019
- 4) Cohort information: NOT STATED

Note: The tracking label assessment was based on the submitted samples and the information provided by the applicant. There was no verification on the validity of such information.

CPSIA – Lead in Paint/Similar Surface Coating Materials

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

Test Item(s)	Lead (Pb)
Permissible Limit (ppm)	90
Specimen Description	Result(s) (ppm)
1. Multi-color coating (A) + Multi-color coating (B) + Multi-color coating (C)	ND
2. Multi-color coating (D) + Multi-color coating (E) + Multi-color coating (F)	ND
3. Multi-color coating (G) + Multi-color coating (H) + Multi-color coating (I)	ND
4. Multi-color coating (J) + Multi-color coating (K) + Multi-color coating (L)	ND
5. Multi-color coating (M) + Multi-color coating (N) + Multi-color coating (O)	ND
6. Multi-color coating (P) + Multi-color coating (Q) + Multi-color coating (R)	ND
7. Multi-color coating (S) + Multi-color coating (T) + Multi-color coating (U)	ND
8. Multi-color coating (V) + Multi-color coating (W) + Multi-color coating (X)	ND
9. Multi-color coating (Y) + Multi-color coating (AA)	ND
10. Multi-color coating (AB) + Multi-color coating (AC) + Multi-color coating (AD)	ND
11. Multi-color coating (AE) + Multi-color coating (AG)	ND
12. Multi-color coating (AH) + Multi-color coating (AI) + Multi-color coating (AJ)	ND
13. Multi-color coating (AK) + Multi-color coating (AL) + Multi-color coating (AM)	ND
14. Multi-color coating (AN) + Multi-color coating (AO)	ND

- Note:
- ppm = parts per million
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit = 10 ppm
 - 1% = 10000 mg/kg = 10000 ppm
 - The result(s) is (are) calculated using the minimum specimen weight for composite test.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

CPSIA – Lead in Accessible Substrate Materials

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3 - Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product

Test Item(s)	Lead (Pb)
Permissible Limit ^{**}(ppm)	100
Specimen Description	Result(s) (ppm)
1. Beige soft plastic (A) + Red soft plastic (B) + Pale orange soft plastic (C)	ND
2. Dull white soft plastic (D) + Dull grey soft plastic (E) + Bright brown soft plastic (F)	ND
3. Dull green soft plastic (G) + Greenish grey soft plastic (H) + Deep brown soft plastic (I)	ND
4. Dull yellow soft plastic (I) + Orange soft plastic (J) + Beige soft plastic (K)	ND
5. Creamy orange soft plastic (L) + Black grey soft plastic (M) + Black soft plastic (N)	ND
6. Pale yellow soft plastic (O) + Beige soft plastic (P) + Flesh soft plastic (Q)	ND
7. White soft plastic (R) + White soft plastic (S) + Transparent soft plastic (S)	ND
8. Beige soft plastic (T) + Pale red soft plastic (U) + Pale brown soft plastic (V)	ND
9. Grey brown soft plastic (W) + Dk. Brown soft plastic (X) + Beige soft plastic (Y)	ND
10. Yellowish beige soft plastic (AA) + Deep green soft plastic (AB) + White soft plastic (AC)	ND
11. Creamy yellow soft plastic (AD) + Lt. Pink soft plastic (AE)	ND
12. Creamy yellow soft plastic (AG) + Moss green soft plastic (AH) + Muddy yellow soft plastic (AI)	ND
13. Dull greyish blue soft plastic (AJ) + Black grey soft plastic (AK) + Grey brown soft plastic (AL)	ND
14. Reddish brown soft plastic (AM) + Green soft plastic (AN) + Leaf green soft plastic (AO)	ND

**** Permissible Limit applies to a children's product manufactured after 14 August 2011 (Public Law 110-314 (Consumer Product Safety Improvement Act of 2008) and its Amendments Public Law 112-28)**

- Note:
- ppm = parts per million
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit = 10 ppm
 - 1% = 10000 mg/kg = 10000 ppm
 - The result(s) is (are) calculated using the minimum specimen weight for composite test.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

US 16 CFR Part 1307 – Phthalates Content

Method: With reference to CPSC-CH-C1001-09.4

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS)

Test Item(s) Specimen No.	CAS No.	Result (s) (%) 1 – 14	MDL (%)	Permissible Limit (%)
Dibutyl Phthalate (DBP)	84-74-2	ND	0.003	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	0.003	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	0.003	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	0.010	0.1
Di-n-Hexyl phthalate (DHP/DnHP/DHEXP)	84-75-3	ND	0.003	0.1
Diisobutyl phthalate (DIBP)	84-69-5	ND	0.003	0.1
Di-n-pentyl phthalate(DPP/DPEP/DPENP)	131-18-0	ND	0.003	0.1
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	0.003	0.1

Specimen Description:

1. Beige soft plastic w/ multi-color coating (A) + Red soft plastic w/ multi-color coating (B) + Pale orange soft plastic w/ multi-color coating (C)
2. Dull white soft plastic w/ multi-color coating (D) + Dull grey soft plastic w/ multi-color coating (E) + Bright brown soft plastic w/ multi-color coating (F)
3. Dull green soft plastic w/ multi-color coating (G) + Greenish grey soft plastic w/ multi-color coating (H) + Deep brown soft plastic w/ multi-color coating (I)
4. Dull yellow soft plastic w/ brown, dk. Grey coating (I) + Orange soft plastic w/ multi-color coating (J) + Beige soft plastic w/ multi-color coating (K)
5. Creamy orange soft plastic w/ multi-color coating (L) + Black grey soft plastic w/ multi-color coating (M) + Black soft plastic w/ multi-color coating (N)
6. Pale yellow soft plastic w/ multi-color coating (O) + Beige soft plastic w/ multi-color coating (P) + Flesh soft plastic w/ multi-color coating (Q)
7. White soft plastic w/ multi-color coating (R) + White soft plastic w/ multi-color coating (S) + Transparent soft plastic w/ Deep grey, grey coating (S)
8. Beige soft plastic w/ multi-color coating (T) + Pale red soft plastic w/ multi-color coating (U) + Pale brown soft plastic w/ multi-color coating (V)
9. Grey brown soft plastic w/ multi-color coating (W) + Dk. Brown soft plastic w/ multi-color coating (X) + Beige soft plastic w/ multi-color coating (Y)
10. Yellowish beige soft plastic w/ multi-color coating (AA) + Deep green soft plastic w/ multi-color coating (AB) + White soft plastic w/ multi-color coating (AC)
11. Creamy yellow soft plastic w/ multi-color coating (AD) + Lt. Pink soft plastic w/ multi-color coating (AE)
12. Creamy yellow soft plastic w/ multi-color coating (AG) + Moss green soft plastic w/ multi-color coating (AH) + Muddy yellow soft plastic w/ multi-color coating (AI)
13. Dull greyish blue soft plastic w/ multi-color coating (AJ) + Black grey soft plastic w/ multi-color coating (AK) + Grey brown soft plastic w/ multi-color coating (AL)
14. Reddish brown soft plastic w/ multi-color coating (AM) + Green soft plastic w/ multi-color coating (AN) + Leaf green soft plastic w/ multi-color coating (AO)

- Note:
- % = percentage by weight
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit
 - 1% = 10000 mg/kg = 10000 ppm
 - The result(s) is (are) calculated using the total specimen weight for composite test.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

US California Proposition 65 – Total Lead Content

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3 - Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

Test Item(s) Specimen Description	Lead (Pb) Result(s) (ppm)
1. Multi-color coating (A) + Multi-color coating (B) + Multi-color coating (C)	ND
2. Multi-color coating (D) + Multi-color coating (E) + Multi-color coating (F)	ND
3. Multi-color coating (G) + Multi-color coating (H) + Multi-color coating (I)	ND
4. Multi-color coating (J) + Multi-color coating (K) + Multi-color coating (L)	ND
5. Multi-color coating (M) + Multi-color coating (N) + Multi-color coating (O)	ND
6. Multi-color coating (P) + Multi-color coating (Q) + Multi-color coating (R)	ND
7. Multi-color coating (S) + Multi-color coating (T) + Multi-color coating (U)	ND
8. Multi-color coating (V) + Multi-color coating (W) + Multi-color coating (X)	ND
9. Multi-color coating (Y) + Multi-color coating (AA)	ND
10. Multi-color coating (AB) + Multi-color coating (AC) + Multi-color coating (AD)	ND
11. Multi-color coating (AE) + Multi-color coating (AG)	ND
12. Multi-color coating (AH) + Multi-color coating (AI) + Multi-color coating (AJ)	ND
13. Multi-color coating (AK) + Multi-color coating (AL) + Multi-color coating (AM)	ND
14. Multi-color coating (AN) + Multi-color coating (AO)	ND
15. Beige soft plastic (A) + Red soft plastic (B) + Pale orange soft plastic (C)	ND
16. Dull white soft plastic (D) + Dull grey soft plastic (E) + Bright brown soft plastic (F)	ND
17. Dull green soft plastic (G) + Greenish grey soft plastic (H) + Deep brown soft plastic (I)	ND
18. Dull yellow soft plastic (J) + Orange soft plastic (K) + Beige soft plastic (L)	ND
19. Creamy orange soft plastic (M) + Black grey soft plastic (N) + Black soft plastic (O)	ND
20. Pale yellow soft plastic (P) + Beige soft plastic (Q) + Flesh soft plastic (R)	ND
21. White soft plastic (S) + White soft plastic (T) + Transparent soft plastic (U)	ND
22. Beige soft plastic (V) + Pale red soft plastic (W) + Pale brown soft plastic (X)	ND
23. Grey brown soft plastic (Y) + Dk. Brown soft plastic (Z) + Beige soft plastic (AA)	ND
24. Yellowish beige soft plastic (AB) + Deep green soft plastic (AC) + White soft plastic (AD)	ND
25. Creamy yellow soft plastic (AE) + Lt. Pink soft plastic (AF)	ND
26. Creamy yellow soft plastic (AG) + Moss green soft plastic (AH) + Muddy yellow soft plastic (AI)	ND
27. Dull greyish blue soft plastic (AJ) + Black grey soft plastic (AK) + Grey brown soft plastic (AL)	ND
28. Reddish brown soft plastic (AM) + Green soft plastic (AN) + Leaf green soft plastic (AO)	ND

- Note:
- ppm = parts per million
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit =10 ppm
 - 1% = 10000mg/kg=10000ppm
 - The result(s) is (are) calculated using the minimum specimen weight for composite test.

Remark: Summary of permissible limit(s) of Lead requirement:

Requirement(s)	Permissible Limit of Lead (ppm)	Effective Date
California Proposition 65 (ACSC Case No. RG-07-356892)	- Surface Coating	90
	- Accessible substrate	100

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

California Prop 65 – Phthalates Content

Method: With reference to CPSC-CH-C1001-09.4

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS)

Test Item(s) Specimen No.	CAS No.	Result(s) (%) 1 – 14	MDL (%)
Dibutyl phthalate (DBP)	84-74-2	ND	0.003
Benzyl butyl phthalate (BBP)	85-68-7	ND	0.003
Di-(2-ethyl hexyl) phthalate (DEHP)	117-81-7	ND	0.003
Di-“isodecyl” phthalate (DIDP)	26761-40-0	ND	0.010
Di-n-Hexyl phthalate (DnHP)	84-75-3	ND	0.003

Specimen Description:

1. Beige soft plastic w/ multi-color coating (A) + Red soft plastic w/ multi-color coating (B) + Pale orange soft plastic w/ multi-color coating (C)
2. Dull white soft plastic w/ multi-color coating (D) + Dull grey soft plastic w/ multi-color coating (E) + Bright brown soft plastic w/ multi-color coating (F)
3. Dull green soft plastic w/ multi-color coating (G) + Greenish grey soft plastic w/ multi-color coating (H) + Deep brown soft plastic w/ multi-color coating (I)
4. Dull yellow soft plastic w/ brown, dk. Grey coating (I) + Orange soft plastic w/ multi-color coating (J) + Beige soft plastic w/ multi-color coating (K)
5. Creamy orange soft plastic w/ multi-color coating (L) + Black grey soft plastic w/ multi-color coating (M) + Black soft plastic w/ multi-color coating (N)
6. Pale yellow soft plastic w/ multi-color coating (O) + Beige soft plastic w/ multi-color coating (P) + Flesh soft plastic w/ multi-color coating (Q)
7. White soft plastic w/ multi-color coating (R) + White soft plastic w/ multi-color coating (S) + Transparent soft plastic w/ Deep grey, grey coating (S)
8. Beige soft plastic w/ multi-color coating (T) + Pale red soft plastic w/ multi-color coating (U) + Pale brown soft plastic w/ multi-color coating (V)
9. Grey brown soft plastic w/ multi-color coating (W) + Dk. Brown soft plastic w/ multi-color coating (X) + Beige soft plastic w/ multi-color coating (Y)
10. Yellowish beige soft plastic w/ multi-color coating (AA) + Deep green soft plastic w/ multi-color coating (AB) + White soft plastic w/ multi-color coating (AC)
11. Creamy yellow soft plastic w/ multi-color coating (AD) + Lt. Pink soft plastic w/ multi-color coating (AE)
12. Creamy yellow soft plastic w/ multi-color coating (AG) + Moss green soft plastic w/ multi-color coating (AH) + Muddy yellow soft plastic w/ multi-color coating (AI)
13. Dull greyish blue soft plastic w/ multi-color coating (AJ) + Black grey soft plastic w/ multi-color coating (AK) + Grey brown soft plastic w/ multi-color coating (AL)
14. Reddish brown soft plastic w/ multi-color coating (AM) + Green soft plastic w/ multi-color coating (AN) + Leaf green soft plastic w/ multi-color coating (AO)

- Note:
- % = percentage by weight
 - MDL = Method Detection Limit
 - ND = Not Detected (lower than MDL)
 - 1% = 10000 mg/kg = 10000 ppm
 - The result(s) is (are) calculated using the total specimen weight for composite test.


Summary of Permissible Limit of Requirement(s):

Requirement(s)	Permissible Limit
California Proposition 65 (ACSC Case No. BG07350969)	
- Toys for children up to 6 or childcare articles for children up to 3	≤ 0.1% for each of DBP, BBP, DEHP, DIDP and DnHP

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Sample Photo:



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Sample Picture (As received)



SGS authenticate the photo on original report only

*** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.